



**TRENCH DETAIL NOTES:**  
COMPACT ALL BEDDING AND BACKFILL TO A MINIMUM OF 95% OF THE MATERIAL MAXIMUM DRY DENSITY AS DETERMINED BY MODIFIED PROCTOR.

POC	BY	MARK	REVISIONS	DATE
				03/03/10
<p>THE WORK REPRESENTED BY THIS DRAWING WAS DESIGNED BY THE ENGINEER FOR THIS SPECIFIC APPLICATION AND SPECIFIC LOCATION DESCRIBED HEREIN IN ACCORDANCE WITH THE CONDITIONS PREVALENT AT THE TIME THE DESIGN WAS DONE. THE ENGINEER DOES NOT GUARANTEE AND WILL NOT BE LIABLE FOR ANY OTHER LOCATION, CONDITION, DESIGN OR FAILURE.</p>				
<p>PEAKE ACRES DRAIN IONIA COUNTY, MICHIGAN</p>				
<p>STANDARD DETAILS</p>				
<p>OFFICE LOCATIONS SAGINAW, MI ST. JOHNS, MI CARO, MI BELLEVILLE, MI</p>		<p><b>Spicer</b> group</p>		<p>ST. JOHNS OFFICE 1400 Zeeb Drive St. Johns, MI 48879 Tel. 989-224-2355 Fax. 989-224-2357 www.SpicerGroup.com</p>
DE. BY: POC	CH. BY: PLF	DR. BY: POC	APP. BY: LJP	PROJECT NO. 118015SG2009
STDS.	SHEET 4 OF 4	DATE: FEBRUARY, 2010	FILE NO.	
SCALE: AS SHOWN	JDR-1857-04			

P:\enr\2009\118015SG2009-Peake Acres Drain\dwg\JDR-1857-04.dwg, JDR-1857-04.dwg, 3/2/2010 12:23:33 PM, craigo, vspicater2\craigo\400, C:\D-24626\Ft. 11